## **Tender Heart High School**

| Class X   | <b>Computer Application</b>            | Date-28.10.2024  |
|---|--|------------------|
| Revision-3  | Teache                                 | r-Prabhdeep Kaur |
| 81 Which of the following is not a to                                     | oken?                                  |                  |
| a. Keyword<br>b. Identifier   | c. Operator<br>d. Procedure            |                  |
| <b>82</b> Which of the following is a keyw                                | ord?                                   |                  |
| a. character<br>b. break  | c. object<br>d. attribute              |                  |
| <b>83</b> Which of the following is not a le                              | egal identifier?                       |                  |
| aroom<br>b. \$PayAmount   | c. 10thClass<br>d. nullValue           |                  |
| 84 Which of the following is a default value of float data type?          |  |                  |
| a. 0<br>b. Ofloat   | c. 0f<br>d. <b>0.0f</b>                |                  |
| <b>85</b> Which of the following is a default value of boolean data type? |  |                  |
| a. true<br>b. false   | c. null<br>d. void                     |                  |
| <b>86</b> Which of the following is an inva                               | lid integer?                           |                  |
| a. 2222<br>b. 22222   | c. 222 22<br>d. 222                    |                  |
| 87 Which of the following is not a ch                                     | haracter literal?                      |                  |
| a. '\n'<br>b. "n"   | c. 'n'<br>d. All of these              |                  |
| <b>88</b> Which of the following punctuator                               | or is the statement terminator in Java | a?               |
| a. ;<br>b   | c. ,<br>d. All of these                |                  |
| <b>89</b> Which of the following is not a pr                              | rimitive data type in Java?            |                  |
| a. boolean<br>b. short  | c. float<br>d. class                   |                  |
| 90 What is the size of a long data type                                   | pe in Java?                            |                  |
| a. 32 bits  | c 48 bits                              |                  |

a. 32 bitsb. 64 bitsc. 48 bitsd. Long data type is not supported in Java.

- a. 1 bit
- b. 16 bits
- c. 8 bits
- 92 Single line comments can be added using .....
  - a. // c. \ b. /\* \*/ d. Both A and B
- 93 Which of the following changes a variable declaration into a constant?
  - a. constc. staticb. constantd. final
- 94 The ASCII codes of A-Z are represented by decimal range .....
  - a. 65-90c. 97-122b. 66-91d. 98-123
- 95 Which of the following is a primitive data type?
  - a. arrayc. classb. interfaced. boolean
- 96 Which language does the CPU understand?
  - a. Machine language
  - b. Assembly language
- **97** Stand-alone Java applications ...... for execution.
  - a. need Java-compatible web browser
  - b. need an assembler
- **98** What is the full form of JVM?
  - a. Java Visual Monitor
  - b. Java Video Monitor
- **99** The full form of JRE is .....
  - a. Java Runtime Editor
  - b. Java Runtime Environment
- 100 Java uses ..... for execution.
  - a. compilation and interpretation
  - b. interpretation only
  - c. compilation only
  - d. None of these

- c. do not need Java-compatible web browser
- d. need a linker
- c. Java Virtual Monitor

c. High-level language

d. English language

- d. Java Virtual Machine
- c. Java Runtime Expression
- d. Java Runtime Enabler

d. Boolean data type does not take any space in memory.